


## Thin Client (TC1302U)



Turn

your PC into 2...10...even Up  
to 100



### Product Highlights:

- One PC is shared with many users. Saving!
- Embedded with Win CE 6.0
- Connect to any Windows OS | Linux OS
- Supports most of all USB Devices (Printers, Scanner, Webcam & Pen Drives)
- High compatibility
- Attractive price & good performance

### Features:

1.High compatible with Windows/Linux OS

No need to set time and date. Connect with host PC directly!



2 VGA Resolution support

Max support up to 1440\*900P.

3.Support Multi Languages version of system user interface as below: Chinese, English, French, Japanese, Thai, Portuguese.

### Main function:

- TC1302U makes the remote connection to the server, it is free to use the software on the host after connection, such as office software, financial software, ERP software, real estate software etc.
- Fast to connect, easy to operate & maintain.
- It is a green computer that not only reduces the cost of enterprise computer inputs, but also reduces maintenance costs, it meets the corporate office network construction and easy maintenance, and security requirements.

### Technical Specifications:

<b>CPU Model</b>	Enhanced CPU CLG7700 with ARM11-800MHz
<b>Protocol</b>	RDP 7.0
<b>Embedded OS</b>	Win CE 6.0
<b>RAM</b>	128MB
<b>Storage</b>	128 Flash
<b>Graphics Chips</b>	Hardware Accelerated 2D Graphics
<b>Resolution</b>	VGA: 640*480, 800*600, 1024*768,1280*1024, 1440*900
<b>OS supported</b>	Windows XP /7/8.1/10, Linux OS, Windows 2008 Server
<b>I/O</b>	
<b>Output</b>	1*VGA port 3* USB2.0 port 1*Audio output port
<b>Input</b>	1*power port 1* LAN port 1* Audio input port
<b>Appearance</b>	
<b>Size</b>	109 x 110 x 20 mm
<b>Weight</b>	0.18KG

## Thin Client (TC1302U)

<b>Power</b>	5V/2A
<b>Consumption</b>	5W
<b>Performance</b>	
<b>1</b>	Strong compatibility
<b>2</b>	No time display problems

EIRATEK