



## Introduction

This AV to HDMI converter is designed to convert audio and video signals from video source devices such as DVD, UHS Tape Deck and Set Top Box into HDMI signals that you can view on a HD TV. Making video come alive, delivering the sharpest, most realistic HD visuals available.

## Features


1. AV signals convert to HDMI signals- Advanced universal converter for analog composite input to HDMI 1080P (60Hz) output, making the video come alive, delivering the sharpest, most realistic HD visuals available.
2. GOOD COMPATIBILITY - Support PAL, NTSC3.58, NTSC4.43, SECAM, PAL/M, PAL/N standard TV formats input. Support HDMI 1080P/720P@60Hz output.
3. Mini size, portable and flexible
4. Plug and play, easy installation- No need to install driver.

# RCA TO HDMI UPSCALER (ER2691RCAH)


## Specifications

Brand	EiRA
SKU Code	ER2691RCAH
Item Name	RCA TO HDMI UPSCALER
<b>Technical Parameters</b>	
HDMI compliance	HDMI1.3
HDCP compliance	HDCP1.2
Input Video Format	Detect PAL/NTSC automatically 1.0Vp-p Impedance:75Ω
HDMI Resolution Supported	720p@50/60Hz, 1080P@50/60Hz
Input Audio Formats	L/R Stereo standard Audio
ESD Protection	Human Body Mode ±8kV (Air gap discharge) ±4kV (Contact discharge)
Input	Composite (RCA) female x 1 L/R Stereo Audio x 1
Output	HDMI (female) x 1
<b>Mechanical</b>	
Housing	Fireproof Engineering Plastic (ABS)
Colour	Black
Surface Finishing	Polishing and texture
Dimensions(L×W×H mm)	61.5mm X 55mm X 20mm
Net weight	37.5g
Power Supply Port	USB Micro B
Power Connector	Barrel Connector labelled "DC 5V"
Input Power	5VDC /500mA
Power supply	AC100-240V
Power consumption	2W
Operation temperature	0~60°C(32°F to 140°F)
Storage temperature	-10~70°C(-4°F to 158°F)
Relative humidity	20-90%RH (no condensation)


## Package Contents



## Connection



## Panel Description



①	VIDEO/L/R	The yellow jack input the video signal, the red and the white jack input the audio signal - right and left channel
②	720/1080P	Switch the resolution to 720p or 1080p
③	HDMI	Output HDMI signal
④	DC 5V	Input DC5V power